



Concussion Information Sheet

A concussion is a brain injury and all brain injuries are serious. They are caused by a bump, blow, or jolt to the head, or by a blow to another part of the body with the force transmitted to the head. They can range from mild to severe and can disrupt the way the brain normally works. Even though most concussions are mild, all concussions are potentially serious and may result in complications including prolonged brain damage and death if not recognized and managed properly. In other words, even a “ding” or a bump on the head can be serious. You can’t see a concussion and most sports concussions occur without loss of consciousness. Signs and symptoms of concussion may show up right after the injury or can take hours or days to fully appear. If your child reports any symptoms of concussion, or if you notice the symptoms or signs of concussion yourself, seek medical attention right away.

Symptoms may include one or more of the following:		
<ul style="list-style-type: none"> • Headaches • “Pressure in head” • Nausea or vomiting • Neck pain • Balance problems or dizziness • Blurred, double, or fuzzy vision • Sensitivity to light or noise 	<ul style="list-style-type: none"> • Feeling sluggish or slowed down • Feeling foggy or groggy • Drowsiness • Change in sleep patterns • Amnesia • “Don’t feel right” • Fatigue or low energy • Sadness 	<ul style="list-style-type: none"> • Nervousness or anxiety • Irritability • More emotional • Confusion • Concentration or memory problems (forgetting game plays) • Repeating the same question/comment

Signs observed by teammates, parents and coaches include:	
<ul style="list-style-type: none"> • Appears dazed • Vacant facial expression • Confused about assignment • Forgets plays • Is unsure of game, score, or opponent • Moves clumsily or displays incoordination • Answers questions slowly 	<ul style="list-style-type: none"> • Slurred speech • Shows behavior or personality changes • Can’t recall events prior to hit • Can’t recall events after hit • Seizures or convulsions • Any change in typical behavior or personality • Loses consciousness

For current and up-to-date information on concussions you can go to: <http://www.cdc.gov/ConcussionInYouthSports/>

What can happen if my child keeps on playing with a concussion or returns too soon?

Athletes with the signs and symptoms of concussion should be removed from play immediately. Continuing to play with the signs and symptoms of a concussion leaves the young athlete especially vulnerable to greater injury. There is an increased risk of significant damage from a concussion for a period of time after that concussion occurs, particularly if the athlete suffers another concussion before completely recovering from the first one. This can lead to prolonged recovery, or even to severe brain swelling (second impact syndrome) with devastating and even fatal consequences. It is well known that adolescent or teenage athlete will often under report symptoms of injuries. And concussions are no different. As a result, education of administrators, coaches, parents and students is the key for student athlete’s safety.

If you think your child has suffered a concussion

Any athlete even suspected of suffering a concussion should be removed from the game or practice immediately. No athlete may return to activity after an apparent head injury or concussion, regardless of how mild it seems or how quickly symptoms clear, without medical clearance. Close observation of the athlete should continue for several hours. The new “Zackery Lystedt Law” in Washington now requires the consistent and uniform implementation of long and well-established return to play concussion guidelines that have been recommended for several years:

“a youth athlete who is suspected of sustaining a concussion or head injury in a practice or game shall be removed from competition at that time” **and** “may not return to play until the athlete is evaluated by a licensed health care provider trained in the evaluation and management of concussion and received written clearance to return to play from that health care provider”.

You should also inform your child’s coach if you think that your child may have a concussion. Remember, it’s better to miss one game than miss the whole season. ***When in doubt, the athlete sits out.***



SPOKANE INDIANS YOUTH BASEBALL

Cancellation & Refund Policy

Individual Player

SIYB understands that, from time to time, players may need to withdraw from a sport, due to unforeseen circumstances. Registration fees are based on a variety of costs determined by the number of teams and number of players registered on each team. Because many of these costs must be paid in advance, player withdrawals still result in a cost to SIYB.

We have adopted the following policy for refunds to accommodate people whose plans have changed, while maintaining the financial responsibilities associated with each sport season.

<u>DATE</u>	<u>REFUND</u>
REQUESTED BEFORE REGISTRATION DEADLINE	ELIGIBLE FOR A REFUND MINUS \$20 PROCESSING FEE / PER REGISTRANT
TWO WEEKS PRIOR TO GAMES STARTING	ELIGIBLE FOR A REFUND MINUS 50% OF REGISTRATION FEES / PER REGISTRANT

- Once games have begun, refunds will not be given for cancelled registrations. Under extenuating circumstances, a partial refund may be considered
- All refund requests need to be emailed to info@siyb.org. Please include the player's name and reason for the refund request.
- Refunds are issued as follows:
 - Credit/Debit: Refunded to original card (allow 5-7 business days)
 - Check/Cash: Refunded by SIYB issued check (allow up to 2 weeks)

Signature below acknowledge that you've read and understand Spokane Indians Youth Baseball Refund/Cancellation Policy

Parent/Gaurdian: _____
printed name

_____ Date _____
signature